



Product Service

CERTIFICATE

No. Z1A 10 08 31484 006

Holder of Certificate: Justrite Manufacturing Company L.L.C.3921 DeWitt Avenue
Mattoon IL 61938
USA**Factory(ies):**

31484, 73769

Certification Mark:**Product:****Waste collectors****Model(s):****Oily Waste Cans**09100, 09108, 09110, 09300, 09308, 09310
09500, 09508, 09510, 09700, 09708, 09710
09101, 09111, 09301, 09311, 09501, 09511
09701, 09711, 09104, 09304, 09504, 09704**Parameters:****Material:** steel plate,
powder coated, red / yellow / silver
inside tin coating**Remark:** Models 09108, 09308, 09508, 09708, 09104
09304, 09504 and 09704 are equipped with a
foam gasket to reduce the noise of the
cover during the closing process.

Specifications concerning capacity and dimensions see page 2

Tested according to: PPP 53183:2010

The product meets the safety and health requirements of the German Equipment and Product Safety Act section 7 subsection 1 sentence 2 GPSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 71369451**Valid until:** 2015-08-31**Date,** 2010-09-01

(Edgar Harnisch)

Page 1 of 2





Product Service

CERTIFICATE

No. Z1A 10 08 31484 006

Oily Waste Cans

Steel plate, powder coated red, inside tin coating

Models 09108, 09308, 09508 and 09708 are equipped with a foam gasket to reduce the noise of the cover during the closing process.

model	appcapacity l	inner height mm	inner diameter mm	operated by
09100	app. 23	app. 305	app. 289	foot
09108	app. 23	app. 305	app. 289	foot
09110	app. 23	app. 305	app. 289	hand
09300	app. 38	app. 368	app. 343	foot
09308	app. 38	app. 368	app. 343	foot
09310	app. 38	app. 368	app. 343	hand
09500	app. 53	app. 416	app. 400	foot
09508	app. 53	app. 416	app. 400	foot
09510	app. 53	app. 416	app. 400	hand
09700	app. 79	app. 499	app. 454	foot
09708	app. 79	app. 499	app. 454	foot
09710	app. 79	app. 499	app. 454	hand

Oily Waste Cans

Steel plate, powder coated yellow, inside tin coating

model	appcapacity l	inner height mm	inner diameter mm	operated by
09101	app. 23	app. 305	app. 289	foot
09111	app. 23	app. 305	app. 289	hand
09301	app. 38	app. 368	app. 343	foot
09311	app. 38	app. 368	app. 343	hand
09501	app. 53	app. 416	app. 400	foot
09511	app. 53	app. 416	app. 400	hand
09701	app. 79	app. 499	app. 454	foot
09711	app. 79	app. 499	app. 454	hand

Oily Waste Cans

Steel plate, powder coated silver, inside tin coating

All Models are equipped with a foam gasket to reduce the noise of the cover during the closing process

model	appcapacity l	inner height mm	inner diameter mm	operated by
09104	app. 23	app. 305	app. 289	foot
09304	app. 38	app. 368	app. 343	foot
09504	app. 53	app. 416	app. 400	foot
09704	app. 79	app. 499	app. 454	foot



Product Service

ZERTIFIKAT

Nr. Z1A 10 08 31484 006**Zertifikatsinhaber: Justrite Manufacturing Company L.L.C.**3921 DeWitt Avenue
Mattoon IL 61938
USA**Produktions-
stätte(n):**

31484, 73769

Prüfzeichen:**Produkt:****Abfallsammler****Modell(e):****Oily Waste Cans****09100, 09108, 09110, 09300, 09308, 09310
09500, 09508, 09510, 09700, 09708, 09710
09101, 09111, 09301, 09311, 09501, 09511
09701, 09711, 09104, 09304, 09504, 09704****Kenndaten:****Material:** Stahlblech,
pulverbeschichtet, rot / gelb / silber
Innenseite zinnbeschichtet**Anmerkung:** Die Modelle 09108, 09308, 09508, 09708,
09104, 09304, 09504 und 09704 sind mit
einer Schaumdichtung zur Schließgeräusch-
reduzierung ausgestattet.

Angaben bezüglich Inhalt und Abmessungen siehe Seite 2

Geprüft nach:

PPP 53183:2010

Das Produkt entspricht hinsichtlich der Gewährleistung von Sicherheit und Gesundheit den Anforderungen des deutschen Geräte- und Produktsicherheitsgesetzes § 7 Abs. 1 Satz 2 GPSG. Es kann mit den oben abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung der Prüfzeichen ist nicht erlaubt. Die Übertragung eines Zertifikates durch den Zertifikatsinhaber an Dritte ist unzulässig. Das Zertifikat ist gültig bis zum angegebenen Zeitpunkt, sofern es nicht früher gekündigt wird. Umseitige Hinweise sind zu beachten.

Prüfbericht Nr.:

71369451

Gültig bis:

2015-08-31

Datum, 2010-09-01

(Edgar Harnisch)

Seite 1 von 2





Product Service

ZERTIFIKAT

Nr. Z1A 10 08 31484 006

Oily Waste Cans

Stahlblech, pulverbeschichtet rot, Innenseite zinnbeschichtet

Modell	Inhalt l	Höhe innen mm	Durchmesser innen mm	Betätigung
09100	ca. 23	ca. 305	ca. 289	Fuß
09108	ca. 23	ca. 305	ca. 289	Fuß
09110	ca. 23	ca. 305	ca. 289	Hand
09300	ca. 38	ca. 368	ca. 343	Fuß
09308	ca. 38	ca. 368	ca. 343	Fuß
09310	ca. 38	ca. 368	ca. 343	Hand
09500	ca. 53	ca. 416	ca. 400	Fuß
09508	ca. 53	ca. 416	ca. 400	Fuß
09510	ca. 53	ca. 416	ca. 400	Hand
09700	ca. 79	ca. 499	ca. 454	Fuß
09708	ca. 79	ca. 499	ca. 454	Fuß
09710	ca. 79	ca. 499	ca. 454	Hand

Die Modelle 09108, 09308, 09508 und 09708 sind mit einer Schaumdichtung zur Schließgeräuschreduzierung ausgestattet.

Oily Waste Cans

Stahlblech, pulverbeschichtet gelb, Innenseite zinnbeschichtet

Modell	Inhalt l	Höhe innen mm	Durchmesser innen mm	Betätigung
09101	ca. 23	ca. 305	ca. 289	Fuß
09111	ca. 23	ca. 305	ca. 289	Hand
09301	ca. 38	ca. 368	ca. 343	Fuß
09311	ca. 38	ca. 368	ca. 343	Hand
09501	ca. 53	ca. 416	ca. 400	Fuß
09511	ca. 53	ca. 416	ca. 400	Hand
09701	ca. 79	ca. 499	ca. 454	Fuß
09711	ca. 79	ca. 499	ca. 454	Hand

Oily Waste Cans

Stahlblech, pulverbeschichtet silber, Innenseite zinnbeschichtet

Alle Modelle sind mit einer Schaumdichtung zur Schließgeräuschreduzierung ausgestattet.

Modell	Inhalt l	Höhe innen mm	Durchmesser innen mm	Betätigung
09104	ca. 23	ca. 305	ca. 289	Fuß
09304	ca. 38	ca. 368	ca. 343	Fuß
09504	ca. 53	ca. 416	ca. 400	Fuß
09704	ca. 79	ca. 499	ca. 454	Fuß



Product Service

**Choose certainty.
Add value.**

TÜV SÜD Product Service GmbH • Mergenthalerallee 27 • 65760 Eschborn • Germany

Justrite Manufacturing Company L.L.C.
Mr Ted Holmes
3921 DeWitt Avenue

Mattoon IL 61938

USA

Your ref./from	Our ref./Name	Phone-ext/E-Mail	Fax-ext	Date	Page
	PS-TF-FFM-kh Horst Kristen	+49 6196 9601-35 horst.kristen@tuev-sued.de	+49 6196 9601-99	2010-09-01	1 of 1

Certificate for Oily Waste Cans

Dear Mr Holmes,

We are pleased to enclose your certificate Z1A 10 08 31484 006 which entitles you to label your certified products with the respective certification mark. Let us give you some additional information which we consider to be important for you:

- The product has to be accompanied by a user manual in the language of the country where they will be sold.
- To ensure that the certificate maintains its validity please inform us in advance about any change in your production process or changes of the product.
- We will invoice you with 15 units annually for the licence which allows you to use our certification mark.

You may find further information for the use of our marks in our testing and certification regulations. We look forward to our co-operation with you; please do not hesitate to contact us if you have further questions.

Yours sincerely,

TÜV SÜD Product Service GmbH


i.A. Dipl.-Ing. Horst Kristen
Test Factory FRANKFURT

Trade Register Munich HRB 85742
HypoVereinsbank Munich
Acc. No. 48 852 211
Bank Code 700 202 70
VAT ID No. DE129484267
Information pursuant to Section 2(1)
DL-InfoV (Germany)
at www.tuev-sued.com/imprint

Supervisory Board:
Dr. Peter Klein (Deputy Chairman)

Management:
Joachim Birnthal (CEO)
Dr. Jens Butenandt (Managing Director)

Telefon: +49 6196 9601-0
Telefax: +

www.tuev-sued.de
TUV®

TÜV SÜD Product Service GmbH

Frankfurt Branch
Mergenthalerallee 27
65760 Eschborn
Germany